

Please type a plus sign (+) inside this box

+



RECEIVED

PTO/SB/08A (08-00)

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Complete if Known

Application Number 09/927,415
Filing Date August 10, 2001
First Named Inventor Louis B. Rosenberg
Group Art Unit 3736
Examiner Name Unassigned
Attorney Docket Number IMMR-009/01US

SEP 30 2002
TECHNOLOGY CENTER R3700

Sheet 1 of 3

U.S. PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	U.S. Patent Document		Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY
		Number	Kind Code ² (if known)		
A-M	A1	5,785,630		Bobick, et al.	07/28/1998
	A2	5,766,016		Sinclair et al.	06/16/1998
	A3	5,547,382		Yamasaki et al.	08/20/1996
	A4	5,466,213		Hogan et al.	11/14/1995
	A5	5,334,027		Wherlock	08/02/1994
	A6	5,309,140		Everett, Jr., et al.	05/03/1994
	A6	5,299,810		Pierce et al.	04/05/1994
	A7	5,275,174		Cook	01/04/1994
	A8	5,271,290		Fischer	12/21/1993
	A9	5,240,417		Smithson et al.	08/31/1993
	A10	5,212,473		Louis	05/18/1993
	A11	5,078,152		Bond et al.	01/07/1992
	A12	5,038,089		Szaky	08/06/1991
	A13	5,035,242		Franklin et al.	07/30/1991
	A14	5,022,407		Horch et al.	06/11/1991
	A15	5,019,761		Kraft	05/28/1991
	A16	4,934,694		McIntosh	06/19/1990
	A17	4,930,770		Baker	06/05/1990
	A18	4,891,764		McIntosh	01/02/1990
	A19	4,794,392		Selinko	12/27/1988
	A20	4,713,007		Alban	12/15/1987
	A21	4,708,656		de Vries et al.	11/24/1987
	A22	4,599,070		Hladky et al.	07/08/1986
	A23	4,581,491		Boothroyd	04/08/1986
	A24	4,513,235		Acklam et al.	04/23/1985
	A25	4,236,325		Hall et al.	12/02/1980
	A26	4,160,508		Frosch-Salisbury, Jr.	07/10/1979
	A27	3,911,416		Feder	10/07/1975
	A28	3,903,614		Diamond et al.	09/09/1975
	A29	3,902,687		Hightower	09/02/1975
	A30	3,623,064		Kagan	11/23/1971
	A31	3,517,446		Corlyon et al.	06/30/1970
	A32	3,497,668		Hirsch	02/24/1970
	A33	3,220,121		Culter	11/30/1965
	A34	3,157,853		Hirsch	11/17/1964

FOREIGN PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Foreign Patent Document			Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	T ⁶
		Office ³	Number ⁴	Kind Code ⁵ (if known)			
A-M	B1		0 349 086	A1	Stork Kwant B.V.	01/03/1990	
	B2						

Amie Nijzen 5/18/03

¹ Unique citation designation number.

² See attached Kinds of U.S. Patent Documents.

³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3).

⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible.

⁶ Applicant is to place a check mark here if English language Translation is attached.

Substitute for form 1449A/PTO

SEP 27 2002

Complete if Known

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 2 3

Application Number 09/927,415
Filing Date August 10, 2001
First Named Inventor Louis B. Rosenberg
Group Art Unit 3736
Examiner Name Unassigned
Attorney Docket Number IMMR-009/01US

RECEIVED
SEP 30 2002
TECHNOLOGY CENTER #3700

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
A. N.	C1	Baigrie, "Electric Control Loading - A Low Cost, High Performance Alternative," <i>Proceedings of Interservice/Industry Training Systems Conference</i> , pp. 247-254, November 6-8, 1990	
	C2	Iwata, "Pen-based Haptic Virtual Environment," 0-7803-1363-1/93 IEEE, pp. 287-292, 1993	
	C3	Russo, "The Design and Implementation of a Three Degree of Freedom Force Output Joystick," <i>MIT Libraries Archives</i> pp. 1-131, May 1990, archived 8/14/90	
	C4	Brooks et al., "Hand Controllers for Teleoperation - A State-of-the-Art Technology Survey and Evaluation," <i>JPL Publication 85-11</i> , NASA-CR-175890; N85-28559, pp. 1-84, 03/1/1985	
	C5	Jones et al., "A perceptual analysis of stiffness," ISSN 0014-4819 Springer International (Springer-Verlag); <i>Experimental Brain Research</i> , Vol. 79, No. 1, pp. 150-156, 1990	
	C6	Burdea et al., "Distributed Virtual Force Feedback, Lecture Notes for Workshop on Force Display in Virtual Environments and its Application to Robotic Teleoperation," <i>1993 IEEE International Conference on Robotics and Automation</i> , pp. 25-44, 05/02/1993	
	C7	Snow et al., "Model-X Force-Reflecting-Hand-Controller," NT Control No. NPO-17851; JPL Case No. 7348, pp. 1-4 with 45 pages of attachments, 06/15/1989	
	C8	Ouh-Young, "Force Display in Molecular Docking," Doctoral Dissertation, University of North Carolina at Chapel Hill, UMI Order No. 9034744, p. 1-369, 1990	
	C9	Tadros, "Control System Design for a Three Degree of Freedom Virtual Environment Simulator Using Motor/Brake Pair Actuators," <i>MIT Archive</i> , pp. 1-88, February 1990, archived 8/13/90	
	C10	Caldwell et al., "Enhanced Tactile Feedback (Tele-Taction) Using a Multi-Functional Sensory System," 1050-4729/93, pp. 955-960, 1993	
	C11	Adelstein et al., "Design and Implementation of a Force Reflecting Manipulandum for Manual Control research," DSC-Vol. 42, <i>Advances in Robotics</i> , pp. 1-12, 1992	
	C12	Gotow et al., "Controlled Impedance Test Apparatus for Studying Human Interpretation of Kinesthetic Feedback," WA11-11:00, pp. 332-337	
	C13	Stanley et al., "Computer Simulation of Interacting Dynamic Mechanical Systems Using Distributed Memory Parallel Processors," DSC-Vol. 42, <i>Advances in Robotics</i> , pp. 55-61, ASME 1992	
	C14	Russo, "Controlling Dissipative Magnetic Particle Brakes in Force Reflective Devices," DSC-Vol. 42, <i>Advances in Robotics</i> , pp. 63-70, ASME 1992	
	C15	Kontarinis et al., "Display of High-Frequency Tactile Information to Teleoperators," <i>Telemanipulator Technology and Space Telerobotics</i> , Won S. Kim, Editor, Proc. SPIE Vol. 2057, pp. 40-50, Sep. 7-9, 1993	
	C16	Patrick et al., "Design and Testing of A Non-reactive, Fingertip, Tactile Display for Interaction with Remote Environments," <i>Cooperative Intelligent Robotics in Space</i> , Rui J. deFigueiredo et al, Editor, Proc. SPIE Vol. 1387, pp. 215-222, 1990	
	C17	Adelstein, "A Virtual Environment System For The Study of Human Arm Tremor," <i>Ph.D. Dissertation</i> , Dept. of Mechanical Engineering, MIT, June 1989, archived 3/13/90	
	C18	Bejczy, "Sensors, Controls, and Man-Machine Interface for Advanced Teleoperation," <i>Science</i> , Vol. 208, No. 4450, pp. 1327-1335, 1980	
	C19	Bejczy et al., "Generalization of Bilateral Force-Reflecting Control of Manipulators," <i>Proceedings Of Fourth CISM-IFTOMM</i> , Sep. 8-12, 1981	
	C20	McAfee et al., "Teleoperator Subsystem/Telerobot Demonstrator: Force Reflecting Hand Controller Equipment Manual," JPL 1988, JPL D-5172	
	C21	Minsky, "Computational Haptics: The Sandpaper System for Synthesizing Texture for a Force-Feedback Display," <i>Ph.D. Dissertation</i> , MIT, June 1995, archived 7/6/95	
	C22	Jacobsen et al., "High Performance, Dextrous Telerobotic Manipulator With Force Reflection," <i>Intervention/ROV '91 Conference & Exposition</i> , Hollywood, Florida, May 21-23, 1991	
	C23	Shimoga, "Finger Force and Touch Feedback Issues in Dexterous Telemanipulation," <i>Proceedings of Fourth Annual Conference on Intelligent Robotic Systems for Space Exploration</i> , Rensselaer Polytechnic Institute, Sep. 30- Oct. 1, 1992	
	C24	IBM Technical Disclosure Bulletin, "Mouse Ball-Actuating Device With Force and Tactile Feedback," Vol. 32, No. 9B, February 1990	
	C25	Terry et al., "Tactile Feedback In A Computer Mouse," <i>Proceedings of Fourteenth Annual Northeast Bioengineering Conference</i> , University of New Hampshire, March 10-11, 1988	
	C26	Howe, "A Force-Relating Teleoperated Hand System for the Study of Tactile Sensing in Precision Manipulation," <i>Proceedings of the 1992 IEEE International Conference on Robotics and Automation</i> , Nice, France, May 1992	
A. N.	C27	Eberhardt et al., "OMAR - A Haptic display for speech perception by deaf and deaf-blind individuals," <i>IEEE Virtual Reality Annual International Symposium</i> , Seattle, WA, Sep. 18-22, 1993	

Amare 10/1/02

5/18/03

Substitute for form 1449A/PTO

Complete if Known

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet	3	of	3	Application Number	09/927,415
				Filing Date	August 10, 2001
				First Named Inventor	Louis B. Rosenberg
				Group Art Unit	3736
				Examiner Name	Unassigned
				Attorney Docket Number	IMMR-009/01US

A.M	C28	Rabinowitz et al., "Multidimensional tactile displays: Identification of vibratory intensity, frequency, and contractor area," <i>Journal of The Acoustical Society of America</i> , Vol. 82, No. 4, October 1987	
	C29	Bejczy et al., "Kinesthetic Coupling Between Operator and Remote Manipulator," <i>International Computer Technology Conference, The American Society of Mechanical Engineers</i> , San Francisco, CA, August 12-15, 1980	
	C30	Bejczy et al., "A Laboratory Breadboard System For Dual-Arm Teleoperation," <i>SOAR '89 Workshop, JSC</i> , Houston, TX, July 25-27, 1989	
	C31	Ouhyoung et al., "A Low-Cost Force Feedback Joystick and Its Use in PC Video Games," <i>IEEE Transactions on Consumer Electronics</i> , Vol. 41, No. 3, August 1995	
	C32	Marcus, "Touch Feedback in Surgery," <i>Proceedings of Virtual Reality and Medicine The Cutting Edge</i> , Sep. 8-11, 1994	
A.M	C33	Bejczy, et al., "Universal Computer Control System (UCCS) For Space Telerobots," CH2413-3/87/0000/0318501.00 1987 IEEE, 1987	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

148180 v1/RE

36C401!.DOC

¹ Unique citation designation number.

² Applicant is to place a check mark here if English language Translation attached.

148166 v1/RE

36BQ01!.DOC

RECEIVED
SEP 30 2002
TECHNOLOGY CENTER R3700